Price quote for: **Aftermarket Tractor/Skidsteer Attachments**


| | |
|---|---|
| Vendor Name: | **Titan Machinery Inc.** |
| Contact Person: | **Andy Bethel** |
| Street Address: | **6340 County Road 101E** |
| P.O. Box: | |
| City, State, Zip | **Shakopee, MN, 55379** |
| Phone #: | **952-445-5400** |
| Toll Free #: | **800-795-9274** |
| Fax #: | **952-445-0365** |
| Email Address: | andy.bethel@titanmachinery.com |


| | | |
|---|---|---|
| **1.0** | **Manufacturer's Name** | Fecon<br>www.fecon.com |
| | **Attachment Description** | All Attachments |
| | **Warranty Term (months, years)** | 1 year |
| | **Discount to be applied to Price List** | 2% |
| | **Date & I.D. of Price List** | 1-Jan-13 |
| **2.0** | **Delivery Charges** (SEE SPECIAL TERMS AND CONDITIONS) | **NO FLAT RATE ALLOWED** |
| | **DELIVERY STARTING POINT: City, State, Zip** | Nearest Titan Case CE Location |
| | **Price per loaded mile:** | $ 4.00 |
| | **Minimum Delivery Charge (if any)** (SEE SPECIAL TERMS AND CONDITIONS) | $ 100.00 |
| **3.0** | **Price for additional Service Manual** | Free |
| | **Price for additional Parts Manual** | Free |
| **4.0** | **Installation Labor Rate - Per Hour**<br>**Installation services may be requested on a "as needed" basis. If not available, list 'N/A' (See Special Terms and Conditions).** | $ 108.00 |

**5.0 New Aftermarket Attachment Rental Program**

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. (See Solicitation Special Terms & Conditions.)

| | |
|---|---|
| **Hourly Rental Rate:** | N/A |
| **Weekly Rental Rate:** | N/A |
| **Monthly Rental Rate:** | N/A |
| **Percent (%) of Rental Fee applied toward purchase price:** | |

**6.0 Vendor Owned Rental or Demo Attachment Sales Program**

(See Solicitation Special Terms and Conditions.)

| | |
|---|---|
| **DEDUCT** 'Cost per Used Hour' from the original Contract Price | N/A |
| **Warranty Program Options:** (provide details) | N/A |

Operator cab must be protected with properly maintained ½" LEXAN® glass or equal. Always ensure your carrier's safety features, including ROPs & FOPs, meet your job safety requirements.

# Fecon® Bull Hog® Skid Steer Pricing

**Included with a Skid Steer Unit:**

- Universal Skid Steer Mount
- Hydraulic Protection Block
- HDT Rotor System With Four Tooling Options
- Weld-On Push Bar (See Photo To Right)
- Hydraulic Rotor Brake
- Hydraulic Lines for Motor Drive (Includes Quick Disconnect Fittings)

| Model | Overall Width | Working Width | Body Style | Motor(s) | GPM | Weight | Rotor Bearings | List Price | Total with Variable Motor |
|---|---|---|---|---|---|---|---|---|---|
| BH62SS | 63" | 50" | Skid Steer | 1 | 24 - 45 | 2050 lbs | ST65mm | **$22,830** | $25,210 |
| BH74SS | 74" | 61" | Skid Steer | 1 | 24 - 45 | 2425 lbs | ST65mm | **$25,040** | $27,420 |
| BH74SM* | 74" | 61" | Skid Steer | 1 | 24 - 45 | 2425 lbs | ST65mm | **$19,950** | N/A |
| BH85SS | 85" | 72" | Skid Steer | 1 | 24 - 45 | 2580 lbs | ST65mm | **$28,150** | $30,530 |

*Only shipped with FGT Samurai knife tools

| Factory Installed Options | BH62SS | BH74SS | BH74SM | BH85SS |
|---|---|---|---|---|
| Variable Displacement Motor (107cc) | $2,380 | $2,380 | N/A | $2,380 |
| Cooling Kit | N/A | $2,160 | $2,160 | N/A |
| Pressure Gauge In Motor Cover | $820 | $820 | $820 | $820 |
| 3 Position Push Bar | $920 | $920 | $920 | $920 |
| Hydraulic Tilting Push Bar | $2,260 | $2,260 | $2,260 | $2,260 |
| Trap Door | $1,290 | $1,290 | $1,290 | $1,290 |

| Low Flow Control Options | | List Price |
|---|---|---|
| Single Function Electric / Hydraulic Valve #074-49-025 | To be used when single function is required from the motor circuit because there is no low flow, or when a second function is desired to be taken from the motor circuit on a tractor that already has a low flow for the first low flow function. | $890 |
| Dual Function Electric / Hydraulic Valve #074-49-026 | To be used when there is no low flow from tractor or when customer prefers both low flow functions be run off the motor circuit of the head. The benefit is that each function flow can be independently regulated and no low flow lines need to be run to the tractor. | $1,420 |
| Dual Function Electric / Hydraulic Valve #074-49-027 | To be used when low flow is available from the tractor and two low flow functions will be run off the low flow of the tractor with different flow requirements. Flow reducing orifices are installed for the circuit requiring lower flow. Example: hydraulic tilting push bar will require more flow than trap door and trap door will slam if flow is not reduced to trap door. | $660 |
| Bobcat - Single/ Dual Function Electric / Hydraulic Valve #074-49-125 | Optional controller required when a mulcher is equipped with diverter valve 074-49-025 to run a trap door and/or hydraulic push bar on Bobcat tractors with a 7-pin connector. It is not required when the Bobcat is equipped with the less common 14-pin connector. This does not replace the diverter valve #074-49-025 and is an additional requirement. | $310 |

**NOTE:**

1. [redacted]
2. Buyer is responsible for ensuring carrier has sufficient low flow circuits and controls for options.
3. Actual Weights will vary based on options selected.
4. Please see "Bull Hog® Tooling Pricing" for individual tooling upgrade pricing.

**3 Position Pin-On Push Bar Option**
Manually adjust the push bar to 3 different positions depending on the type of material and application being performed.

**Effective: January 1, 2013**

Safety is the responsibility of the operator.

[redacted]

Operator cab must be protected with properly maintained ½" LEXAN® glass or equal.
Always ensure your carrier's safety features, including ROPs & FOPs, meet your job safety requirements.

# Fecon® Bull Hog® Hydraulic Ground Pricing

**Included with Hydraulic Ground Units:**

- Hydraulic Motor(s)
- Push Bar (Configuration Will Vary By Model)
- Hydraulic Protection Kit
- Internal Plumbing
- Integrated Mount (For Most Carriers)
- Trap Door (On Most Models)

| Model | Overall Width | Working Width | Body Style | Trap Door | Push Bar | Max HP | GPM | Rotor Bearing | Motors | Weight | List Price |
|---|---|---|---|---|---|---|---|---|---|---|---|
| BH74H-3 | 76" | 61" | CSD | Yes | PPB | 225 | 27 – 50 | SD65mm | 1 x 107V | 2750 lbs | $34,620 |
| BH74H-4 | 76" | 61" | CSD | Yes | PPB | 225 | 50 – 65 | SD65mm | 1 x 160V | 2750 lbs | $37,650 |
| BH74SD-3 (SS mount) | 76" | 61" | CSD | Optional | PPB | 225 | 27 – 50 | SD65mm | 1 x 107V | 2750 lbs | $31,330 |
| BH74SD-4 (SS mount) | 76" | 61" | CSD | Optional | PPB | 225 | 50 – 65 | SD65mm | 1 x 160V | 2750 lbs | $35,350 |
| BH85SD-3 (SS mount) | 87" | 72" | CSD | Optional | PPB | 225 | 27 – 50 | SD65mm | 1 x 107V | 3050 lbs | $33,100 |
| BH85SD-4 (SS mount) | 87" | 72" | CSD | Optional | PPB | 225 | 50 – 65 | SD65mm | 1 x 160V | 3050 lbs | $37,170 |
| BH85H-3 | 87" | 72" | CSD | Yes | PPB | 225 | 27 – 50 | SD65mm | 1 x 107V | 3050 lbs | $36,390 |
| BH85H-4 | 87" | 72" | CSD | Yes | PPB | 225 | 50 – 65 | SD65mm | 1 x 160V | 3050 lbs | $40,470 |
| BH99H-3 | 103" | 86" | CSD | Yes | PPB | 225 | 27 – 50 | SD65mm | 1 x 107V | 4330 lbs | $47,250 |
| BH99H-4 | 103" | 86" | CSD | Yes | PPB | 225 | 50 – 65 | SD65mm | 1 x 160V | 4330 lbs | $51,630 |
| BH120H-1 | 100" | 86" | SD | Yes | PPB | 300 | 50 – 100 | SD65mm | 2 x 63 | 4900 lbs | $56,640 |
| BH120H-3 | 100" | 86" | SD | Yes | PPB | 300 | 50 – 100 | SD65mm | 2 x 107 | 4900 lbs | $63,470 |
| BH200H-1 | 102" | 85" | SD | Yes | PPB | 300 | 50 – 100 | SD65mm | 2 x 63 | 5790 lbs | $56,960 |
| BH200H-3 | 102" | 85" | SD | Yes | PPB | 300 | 50 – 100 | SD65mm | 2 x 107V | 5790 lbs | $63,790 |
| BH200HXD-1 | 102" | 85" | SD | Yes | PPB | 350 | 50 – 105 | SD90mm | 2 x 63 | 5790 lbs | $64,810 |
| BH200HXD-3 | 102" | 85" | SD | Yes | PPB | 350 | 50 – 100 | SD90mm | 2 x 107V | 5790 lbs | $72,650 |
| BH200HXD-4 | 102" | 85" | SD | Yes | PPB | 350 | 100 – 180 | SD90mm | 2 x 160V | 5790 lbs | $76,240 |
| BH300H-1 | 109" | 89" | SD | Yes | PPB | 300 | 80 – 100 | SD65mm | 2 x 63 | 7710 lbs | $72,740 |
| BH300H-3 | 109" | 89" | SD | Yes | PPB | 300 | 80 – 100 | SD65mm | 2 x 107V | 7710 lbs | $77,610 |
| BH300HXD-1 | 109" | 89" | SD | Yes | PPB | 600 | 80 – 105 | SD90mm | 2 x 63 | 7710 lbs | $78,630 |
| BH300HXD-3 | 109" | 89" | SD | Yes | PPB | 600 | 80 – 100 | SD90mm | 2 x 107V | 7710 lbs | $86,350 |
| BH300HXD-4 | 109" | 89" | SD | Yes | PPB | 600 | 100 – 180 | SD90mm | 2 x 160V | 7710 lbs | $89,770 |
| BH300HXD-5 | 109" | 89" | SD | Yes | PPB | 600 | 180 – 210 | SD90mm | 2 x 250V | 7710 lbs | $102,840 |
| BH350HXD-4 | 110" | 90" | SD | Yes | PPB | 600 | 100 – 180 | SD90mm | 2 x 160V | 8200 lbs | $90,140 |
| BH350HXD-5 | 110" | 90" | SD | Yes | PPB | 600 | 180 – 210 | SD90mm | 2 x 250V | 8200 lbs | $106,900 |

| Factory Installed Options | | List Price |
|---|---|---|
| Trap Door | For BH74SD and BH85SD Models | $1,290 |
| Hydraulic Tilting Push Bar: | Labor, parts or materials required for field installations not included. Does not include plumbing to the carrier or controls to activate tilt function. Includes hydraulic tilt cylinders and rake teeth on push bar; all installed at factory. | |
| | Hydraulic Tilting Push Bar For **BH74H and BH85H Models** | $2,260 |
| | Hydraulic Tilting Push Bar For **BH99H – BH350H Models** | $2,360 |

**NOTE:**

1. Maximum flow is based on 6000 PSI operating pressure. Consult factory for custom configurations.
2. Hydraulic horse power should not exceed maximum rated horse power. (GPM x PSI)/1714=HYD HP).
3. Motors with "V" denote variable displacement motor. Variable displacement motors afford benefit within rated GPM.
4. Actual weights will vary based on motor, mount and options selected.
5. Please see "Bull Hog® Tooling Pricing" for individual tooling upgrade pricing.

**Effective: January 1st 2013**

Safety is the responsibility of the operator.

[redacted]

Certain guarding and features may have been removed for illustrative purpose, always run with proper guarding.

Operator cab must be protected with properly maintained ½" LEXAN® glass or equal.
Always ensure your carrier's safety features, including ROPs & FOPs, meet your job safety requirements.

# Fecon® Bull Hog® PTO Pricing

**Included with PTO Units:**

- Three-Point Hitch
- Push Bar
- Hydraulic Trap Door
- Hydraulic Top Link
- PTO Shaft
- Slip Clutch and Over Running Clutch (in most models)

| Model | Overall Width | Working Width | Body Style | Trap Door | Push Bar | HP | PTO RPM | PTO Shaft | Gear Box | Rotor Bearing | Driveline Clutch | Weight | List Price |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| BH74 | 74" | 61" | ST | Yes | PPB | 80 – 90 | 540 | 1.375" | Rigid | ST65mm | On PTO Shaft | 2690 lbs | $27,120 |
| BH74 | 74" | 61" | ST | Yes | PPB | 90 – 140 | 1000 | 1.375" | Rigid | ST65mm | On PTO Shaft | 2690 lbs | $27,120 |
| BH85 | 85" | 72" | ST | Yes | PPB | 80 – 90 | 540 | 1.375" | Rigid | ST65mm | On PTO Shaft | 2970 lbs | $28,440 |
| BH85 | 85" | 72" | ST | Yes | PPB | 90 – 140 | 1000 | 1.375" | Rigid | ST65mm | On PTO Shaft | 2970 lbs | $28,440 |
| BH99 | 101" | 86" | ST | Yes | PPB | 90 – 140 | 1000 | 1.75" | Rigid | ST65mm | On PTO Shaft | 4330 lbs | $34,190 |
| BH120-P | 100" | 86" | SD | Yes | HYB | 140 – 185 | 1000 | 1.75" | Rigid | ST65mm | On PTO Shaft | 4900 lbs | $51,390 |
| BH200-P | 102" | 85" | SD | Yes | HYB | 140 – 185 | 1000 | 1.75" | Pivoting | SD90mm | On PTO Shaft | 5930 lbs | $54,950 |
| BH200-PX | 102" | 85" | SD | Yes | HYB | 140 - 450 | 1000 | 1.75" | Pivoting | SD90mm | Inside Head | 5930 lbs | $62,370 |
| BH300-PX | 109" | 89" | SD | Yes | HYB | 200 – 450 | 1000 | 1.75" | Pivoting | SD90mm | Inside Head | 7850 lbs | $75,060 |
| BH300-PX HYBRID | 108" | 89" | SD | Yes | HYB | 200 - 350 | 1000 | 1.75" | Pivoting | SD65mm | Inside Head | 7980 lbs | $79,210 |
| BH350-P | 110" | 89" | SD | Yes | HYB | 250 – 450 | 1000-1325 | 1.75" | Pivoting | SD90mm | None | 8200 lbs | $95,230 |
| H600-PX Bioharvester | 112" | 90" | SD | Yes | HYB | 230- 440 | 1000-1325 | 1.75" | Pivoting | SD65mm | Inside Head | 11750 lbs | $133,900 |

| Factory Installed Options | | List Price |
|---|---|---|
| Hydraulic Tilting Push Bar: | Labor, parts or materials required for field installations not included. Does not include plumbing to the carrier or controls to activate tilt function. | |
| | Hydraulic Tilting Push Bar For **BH74 and BH85 Models** | $2,260 |
| | Hydraulic Tilting Push Bar For **BH99 Models** | $2,360 |

**NOTE:**

1. BH200, BH300, BH350 and H600-P units require gear box cooling over 300HP. [redacted]
2. BH200, BH300 and BH350 units come equipped as standard with hydraulic tilting push bar.
3. Models with "P" in the model name have a pivoting gear box and synchronization bar.
4. Models without "P" in model name have fixed-position gear boxes.
5. Actual Weights will vary based on options selected.
6. Please see "Bull Hog® Tooling Pricing" for individual tooling upgrade pricing.

**Effective: January 1st 2013**

Safety is the responsibility of the operator.

[redacted]



Certain guarding and features may have been removed for illustrative purpose, always run with proper guarding.

Operator cab must be protected with properly maintained ½" LEXAN® glass or equal.
Always ensure your carrier's safety features, including ROPs & FOPs, meet your job safety requirements.

# Fecon® Bull Hog® Tooling Pricing

| Rotor Type | Tool Description | Part Number | List Price | Additions or Deductions to Convert Rotor from Standard Tools | | | | |
|---|---|---|---|---|---|---|---|---|
| HDT | Standard Double Carbide HDT | BH46HDT01A | $79.99 | | | | | |
| HDT | Chipper Knife Holder, HDT | BH46HM017 | $52.47 | Tool Quantity in Head | | | | |
| HDT | Chipper Knife | BH46HM028.02 | $24.03 | 18 | 24 | 30 | 36 | 48 |
| HDT | Chipper Knife & Holder | N/A | $78.16 | -$33 | -$44 | -$55 | -$66 | -$88 |
| HDT | Single Carbide HDT Tool | BH46HDT02A | $72.85 | -$129 | -$171 | -$214 | - $257 | -$343 |
| HDT | Stone/Rock HDT Tool | BH46HDT03A | $92.00 | +$216 | +$288 | +$360 | +$432 | +$576 |
| HDT | Rotovator Tool (Soil Hog) | BH46HDT04V | $92.00 | +$216 | +$288 | +$360 | +$432 | +$576 |
| | | | | | | | | |
| FGT | Tool, FGT Standard Duty | 320-15-009 | $76.00 | | | | | |
| FGT | Samurai Knife Tool Knife | 320-14-050 | $31.50 | -$861 | - | -$1,395 | -$1,662 | -$2,196 |
| FGT | Tool, FGT Severe Duty | 320-15-010 | $105.83 | +$689 | +$868 | +$1,047 | +$1,226 | +$1,584 |

*FGT Rotors w/ standard tools have 1 SD tool at each end of the rotor.

| Tool Quantity for | 18 | 24 | 30 | 36 | 48 |
|---|---|---|---|---|---|
| CEM36 | x | | | | |
| BH47EXC | x | | | | |
| BH62 – All | | x | | | |
| BH74 – All | | | x | | |
| BH80 – All | | | x | | |
| BH85 – All | | | | x | |
| BH99 – All | | | | | x |
| BH120 – All | | | | | x |
| BH200EXC – All | | | x | | |
| BH200 Ground (Wide Body) | | | | | x |
| BH300 – All | | | | | x |

## HDT Rotor System Tool Choices

Double Carbide | Stone Tool | Single Carbide | Chipper Knife

## FGT Rotor System Tool Choices

Double Carbide | Severe Duty | Samurai Knife

**Effective: January 1st 2013**

Safety is the responsibility of the operator.

[redacted]

Certain guarding and features may have been removed for illustrative purpose, always run with proper guarding.

Operator cab must be protected with properly maintained ½" LEXAN® glass or equal.
Always ensure your carrier's safety features, including ROPs & FOPs, meet your job safety requirements.

# Fecon® Stump Hog Pricing

## Fecon® Stump Hog Pricing

| Model | Hydraulic HP | Flow@PSI | Wheel Diameter | Wheel # of Tools | Weight | Mount | Hoses | List Price |
|---|---|---|---|---|---|---|---|---|
| SH260* | 75-100 hp | 30-45@3000-4750 | 26" | 32 | 1640 lbs | Yes | Yes | $14,950 |
| SH140** | 140-170 hp | 61-69@6000 | 34" | 90 | 2950 lbs | Yes | Yes | $32,360 |
| SH400 | 170-250 hp | 65-90@3500-5500 | 40" | 116 | 4550 lbs | Yes | No | $49,450 |

**NOTE:***On SH260 add $377 for cab controller and cord for carriers that cannot control the Stump Hog through existing cab controls.
**SH140 can be set up for FTX130 ot FTX140. Installation on many other carriers is possible. Call for assistance in assessing fit for carriers not listed.

[redacted]

**NOTE:** [redacted]

# Fecon® Tree Shear Pricing

## Fecon® Skid Steer Tree Shear Pricing

| Model | Weight | Max. Diameter | Flow Required | List Price | No Upper Structure** |
|---|---|---|---|---|---|
| FBS1200SS – Dual Acting* | 1250 lbs | 12" | 15-20 gpm | **$12,100** | $8,340 |
| FBS1400SS – Single Acting* | 1800 lbs | 14" | 15-20 gpm | **$12,970** | $8,650 |
| FBS1500SS – Dual Acting* | 1900 lbs | 15" | 15-20 gpm | **$14,890** | $10,610 |
| Spray Option | 10 - gallon capacity | | | **$1,300** | |
| Bobcat Option | Wiring harness to run from diverter valve to 7 pin connector. Will not work on older Bobcat models with 12 pin connector. | | | **$400** | |

**NOTE:** *Skid steer shears include 12V diverter valve for switch between grabber and accumulator functions.
**No upper structure means no grabber arms or accumulator arms, does include short push bar.

[redacted]





**Effective: January 1st, 2013**

Safety is the responsibility of the operator.

[redacted]



Certain guarding and features may have been removed for illustrative purpose, always run with proper guarding.

Operator cab must be protected with properly maintained ½" LEXAN® glass or equal. Always ensure your carrier's safety features, including ROPs & FOPs, meet your job safety requirements.

# Fecon® Grapple Pricing

## Fecon® Skid Steer Root Grapple/ Bucket Grapple Pricing

| Model | Weight | Width | List Price |
|---|---|---|---|
| FRG72 | 863 lbs | 72" | $3,290 |
| FBG72 | 850 lbs | 72" | $3,290 |

## Fecon® Skid Steer Front Grapple Pricing

| Model | Weight | Lift Capacity | Opening | List Price | Grapple & Rotator Only |
|---|---|---|---|---|---|
| FFG48 | 690 lbs | 6,600 lbs | 48" | **$7,670** | [redacted] |
| FFG60 | 800 lbs | 9,900 lbs | 60" | **$10,610** | $6,510 |
| FFG72 | 850 lbs | 9,900 lbs | 72" | **$11,720** | $7,210 |

| Winch Option: | Capacity | Cable | List Price |
|---|---|---|---|
| FGW1000 | 10,000 lbs | 3/8 x 100 | $4,720 |

**NOTE:** FGW1000 fits all skid steer front grapples.

## Fecon® PTO Tractor Grapple Pricing

| Model | Weight | Opening | Lift Capacity | List Price |
|---|---|---|---|---|
| FTG48 | 480 lbs | 48" | 6,600 lbs | $4,930 |
| FTG60 | 580 lbs | 60" | 9,900 lbs | $7,740 |

**NOTE:** Manual Rotation.
Utilizes tractors top link connect.

# Fecon® Soil Hog Pricing

## Fecon® Soil Hog Pricing

| Standard Machines | Overall Width | Working Width | Rotor Diameter | Number of Tools | PTO Speed | Weight | Horse Power | Max. Working Depth | List Price |
|---|---|---|---|---|---|---|---|---|---|
| **RFL700-2000[1]** | 101" | 79" | 28" | 48 | 1000 | 5742 lbs | 120-180 | 6" | $54,260 |
| **RF800-2000[1]** | 110" | 79" | 32" | 48 | 1000 | 8046 lbs | 180-300 | 12" | $89,820 |
| **RF1000-2000[1]** | 110" | 79" | 39" | 64 | 1000 | 9240 lbs | 240-400 | 20" | $96,200 |
| **RF700-650** | 47" | 25.6" | 28" | 16 | 1000 | 3,680 lbs | 100-240 | 7.3"[2] | $34,460 |
| **Roto Hog** | 38" | 14" | 28" | 10 | 1000 | 1210 lbs | 75-150 | 10" | $24,900 |
| *Compacting Roller* | For Roto Hog and RF700-650 | | | | | | | | $1,530 |

**NOTE:**

[1] With compacting Roller.

[2] RF700-650 working depth 0-5.3" with skid shoes, 7.3" with skid shoes removed.

**Effective: January 1st, 2013**

Safety is the responsibility of the operator.

[redacted]

Certain guarding and features may have been removed for illustrative purpose, always run with proper guarding.

# Fecon® Price List Key

Bull Hog Skid Steer
- BH – Bull Hog
- SS – Skid Steer

Bull Hog® Hydraulic Ground
- BH – Bull Hog
- H – Hydraulic
- SS – Skid Steer
- SD – Sever Duty
- CSD – Compact Severe Duty
- WPB – Weld-on Push Bar
- PPB – Pin-on Push Bar
- -1 – 2 x 63cc Motors
- -2 – 2 x 80cc Motors
- -3 – 2 x 107cc Variable Displacement Motors
- -4 – 2 x 160cc Variable Displacement Motors
- -5 – 2 x 250cc Variable Displacement Motors
- XD – 90mm rotor bearing and stub shafts
- V – Variable Displacement Motor

Bull Hog® PTO Pricing
- BH – Bull Hog
- P – Pivoting Gear Box
- X – Driveline Clutch Inside Head
- ST – Standard
- SD – Severe Duty
- PPB – Pin-on Push Bar
- HYB – Hydraulic Push Bar
- [redacted]

Tractors
- FTX – Fecon Tracked Carriers
- QD – Quick Disconnect
- L – Loader Arms
- FM – Forestry Mower
- SLGP – Super Low Ground Pressure

Stump Hog
- SH – Stump Hog

Tree Shear
- FBS – Fecon Bunching Shear
- SS – Skid Steer
- EXC – Excavator

Grapple
- FRG – Fecon Root Grapple
- FBG – Fecon Bucket Grapple
- FFG – Fecon Front Grapple
- FGW – Fecon Grapple Winch
- FTG – Fecon Tractor Grapple
- [redacted]

**Effective: January 1st, 2013**

Safety is the responsibility of the operator.

[redacted]



Certain guarding and features may have been removed for illustrative purpose, always run with proper guarding.